


Model CPT200

SEAL STRENGTH TESTER for COMPACT PACKAGES

Complies with ASTM test method F88



Specifications:

- Stainless steel and anodized aluminum construction
- 100% pneumatic gripper and sample holder to improve testing ease and speed
- Stepper motor design equipped with a digital controller
- Digital force gauge can easily be removed for calibration
- Zero backlash ball screw with permanent lubrication
- High level of safety – no pinch points, safety interlock equipped
- Mobile gripper automatically returns to start position.
- 4" (100 mm) maximum cross head travel
- Touch Screen Commands
- Maximum diameter or longest diagonal is 2" (50 mm)
- RS-232 Data output for use with VEI data collection software
- Multiple speed drive 1, 6 and 12 inches per minute (25, 150, 300 millimeters per minute) calibrated
- May be factory programmed with other speeds (up to 36 ipm or 900 millimeters per minute)
- Dimensions: 16"L x 12"W x 10"H (400 mm x 300 mm x 250 mm)
- Saves counter space
- Instrument weight: 26 pounds (12 kilograms)
- Required utilities are 120 VAC or 230 VAC
- Compressed air required is 60 psi (4 bar)

Applications:

- Rigid thermo-formed trays
- Compact injection-molded packages
- Cups
- Holding fixture provided

Price List:

Instrument Base Price:	\$14,325
TestWise Data Collection Software	\$ 875
Data Cable (required for data collection)	\$ 75
Freight and Insurance	at cost

